

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A radio communication apparatus comprising:  
a plurality of radio signal reception sections adapted to receive ~~a signals~~ from a respective radio communication channels;  
a plurality of reception signal processing sections adapted to process the received signals, respectively; and  
an optical ~~signal~~-transmission section adapted to optically transmit the respective at least one received signal from the plurality of respective radio signal reception sections to the plurality of respective reception signal processing sections, ~~respectively~~ wherein:  
the optical transmission section comprises one optical bus that can optically transmit respective at least one signal from the plurality of respective radio signal reception sections to the plurality of respective reception signal processing sections.
2. (Currently Amended) The radio communication apparatus according to claim 1,  
wherein each of the radio signal reception sections comprises a first signal conversion section adapted to convert the received signal into at least one optical signal;  
wherein the optical transmission section comprises:  
at least ~~the~~ one optical bus adapted to connect the ~~plurality of~~ radio signal reception sections and the ~~plurality of~~ reception signal processing sections and to guide each of at least one optical signal from each of the ~~plurality of~~ radio signal reception sections to each of ~~plurality of the~~ reception signal processing sections;

at least one first optical wave guide adapted to guide each of the at least one optical signal from each of the ~~plurality of~~ radio signal reception sections to each of ~~at least the~~ one optical bus, the at least one first optical wave guide disposed in an optical path between the ~~plurality of~~ radio signal reception sections and the optical bus; and

at least one second optical wave guide adapted to guide each of at least one optical signal from ~~each of at least the~~ one optical bus to each of the ~~plurality of~~ reception signal processing sections, the at least one second optical wave guide disposed in an optical path between the ~~plurality of~~ reception signal processing sections and the optical bus,

wherein each of ~~plurality of the~~ reception signal processing sections comprises a second signal conversion section adapted to convert the at least one guided optical signal into an electric signal.

3. (Original) The radio communication apparatus according to claim 2, wherein the optical bus is shaped like a sheet.

4. (Currently Amended) The radio communication apparatus according to claim 2, wherein the optical bus comprises an optical signal diffusion section adapted to diffuse the optical signal from each of the at least one first optical wave guide to guide to each of the at least one second optical wave guide.

5. (Currently Amended) The radio communication apparatus according to claim 2, wherein the at least one first optical wave guide reflects each of the at least one optical signal from each of ~~plurality of the~~ radio signal reception sections to guide each of the at least one optical signal to the optical bus.

6. (Currently Amended) The radio communication apparatus according to claim 2, wherein each of the at least one second optical wave guide reflects each of the at least one

optical signal guided through each of ~~at least the~~ one optical bus to guide each of the at least one optical signal to each of ~~plurality of the~~ reception signal processing sections.

7. (Currently Amended) The radio communication apparatus according to claim 2, wherein each of the at least one first optical wave guide is an optical fiber adapted to guide each of the at least one optical signal from each of ~~plurality of the~~ radio signal reception sections.

8. (Currently Amended) The radio communication apparatus according to claim 2, wherein each of the at least one second optical wave guide is an optical fiber adapted to guide each of the at least one optical signal guided through each of the at least one optical bus to each of ~~plurality of the~~ reception signal processing sections.

9. (Currently Amended) A radio communication apparatus comprising:  
a plurality of transmission signal processing sections adapted to process ~~a~~ signals to be transmitted, respectively;  
a plurality of radio signal transmission section adapted to transmit the processed signals to a respective radio communication channels, ~~respectively;~~ and  
an optical transmission section adapted to optically transmit the respective at least one processed signal from ~~each of the~~ plurality of respective transmission signal processing sections to ~~each of the~~ plurality of respective radio signal transmission sections, wherein:

the optical transmission section comprises one optical bus that can optically transmit respective at least one signal from the plurality of respective transmission signal processing sections to the plurality of respective radio signal transmission sections.

10. (Currently Amended) The radio communication apparatus according to claim 9,

wherein each of ~~plurality of the~~ transmission signal processing sections comprises a ~~third-first~~ signal conversion section adapted to convert the processed signals into at least one optical signal;

wherein the optical transmission section comprises:

at ~~least the~~ one optical bus adapted to connect the ~~plurality of~~ transmission signal processing sections and the ~~plurality of~~ radio signal transmission sections to guide each of at least one optical signal from each of ~~the~~ plurality of transmission signal processing sections to each of ~~the~~ plurality of radio signal transmission sections;

at least one ~~third-first~~ optical wave guide adapted to guide each of ~~the~~ at least one optical signal from each of ~~the~~ plurality of transmission signal processing sections to each of ~~at least the~~ one optical bus, the at least one ~~third-first~~ optical wave guide disposed in an optical path between the ~~plurality of~~ transmission signal processing sections and the optical bus; and

at least one ~~fourth-second~~ optical wave guides adapted to guide each of at least one optical signal from each of ~~at least the~~ one optical bus to each of ~~plurality of the~~ radio signal transmission sections, the at least one ~~fourth-second~~ optical wave guide disposed in an optical path between the ~~plurality of~~ radio signal transmission sections and the optical bus; and

wherein each of ~~plurality of the~~ radio signal transmission sections comprises a ~~fourth-second~~ signal conversion section adapted to convert the at least one optical signal into an electric signal.

11. (Original) The radio communication apparatus according to claim 10, wherein the optical bus is shaped like a sheet.

12. (Currently Amended) The radio communication apparatus according to claim 10, wherein the optical bus comprises an optical signal diffusion section adapted to diffuse each of the at least one optical signal from each of the at least one ~~third-first~~ optical wave guide to guide each of the at least one optical signal to each of at the least one ~~fourth-second~~ optical wave guide.

13. (Currently Amended) The radio communication apparatus according to claim 10, wherein each of the at least one ~~third-first~~ optical wave guide reflects the at least one optical signal from each of ~~plurality of the~~ transmission signal processing sections to guide the at least one optical signal to ~~each of the at least one~~ optical buses.

14. (Currently Amended) The radio communication apparatus according to claim 10, wherein each of the at least one ~~fourth-second~~ optical wave guide reflects each of the at least one optical signal guided through ~~each of at least the~~ one optical bus to guide each of the at least one optical signal to each of ~~plurality of the~~ radio signal transmission sections.

15. (Currently Amended) The radio communication apparatus according to claim 10, wherein each of at least one ~~third-first~~ optical wave guide is an optical fiber adapted to guide each of the at least one optical signals from each of ~~plurality of the~~ transmission signal processing sections.

16. (Currently Amended) The radio communication apparatus according to claim 10, wherein each of at least one ~~fourth-second~~ optical wave guide is an optical fiber adapted to guide each of the at least one optical signal guided through the ~~at least one~~ optical bus to each of ~~plurality of the~~ radio signal transmission sections.

17. (Currently Amended) A radio communication apparatus comprising:  
a plurality of radio signal reception sections adapted to receive ~~a signals~~ from a respective radio communication channels, ~~respectively~~;

a plurality of reception signal processing sections adapted to process the received signals, respectively;

a plurality of transmission signal processing sections adapted to process a signals to be transmitted, respectively;

a plurality of radio signal transmission sections adapted to transmit the processed signals to ~~a~~ the respective radio communication channels, ~~respectively~~; and

an optical transmission section adapted to optically transmit the respective at least one received signal from ~~each of the~~ plurality of respective radio signal reception sections to ~~each of the~~ plurality of respective reception signal processing sections and to optically transmit the respective at least one processed signal from ~~each of the~~ plurality of respective transmission signal processing sections to ~~each of the~~ plurality of respective radio signal transmission sections, wherein:

the optical transmission section comprises one optical bus that can optically transmit respective at least one signal from the plurality of respective radio signal reception sections to the plurality of respective reception signal processing sections, the one optical bus that can optically transmit respective at least one signal from the plurality of respective transmission signal processing sections to the plurality of respective radio signal transmission sections.

18. (Currently Amended) The radio communication apparatus according to claim 17,

wherein each of ~~plurality of the~~ radio signal reception sections comprises a first signal conversion section adapted to convert the received signals into at least one first optical signal;

wherein each of ~~plurality of the~~ transmission signal processing sections comprises a third signal conversion section adapted to convert the processed signal into at least one second optical signal;

wherein the optical transmission section comprises:

~~at least the~~ one optical bus adapted to connect the ~~plurality of~~ radio signal reception sections, the ~~plurality of~~ reception signal processing sections, the ~~plurality of~~ transmission signal processing sections, and the ~~plurality of~~ radio signal transmission sections to guide each of the at least one first optical signal from each of ~~plurality of the~~ radio signal reception sections to each of ~~plurality of the~~ reception signal processing sections and to guide each of the at least one second optical signals from each of ~~plurality of the~~ transmission signal processing sections to each of ~~plurality of the~~ radio signal transmission sections;

at least one first optical wave guide adapted to guide each of the at least one first optical signal from each of ~~plurality of the~~ radio signal reception sections to each of ~~at least the~~ one optical bus;

at least third optical wave guide adapted to guide the at least one optical signal from each of ~~plurality of the~~ transmission signal processing sections to ~~each of at least the~~ one optical bus;

at least one second optical wave guide adapted to guide the at least one optical signal from ~~each of at least the~~ one optical bus to each of ~~plurality of the~~ reception signal processing sections; and

at least one fourth optical wave guide each for guiding the at least one optical signal from ~~each of at least the~~ one optical bus to each of ~~plurality of the~~ radio signal transmission sections,

wherein each of ~~plurality of the~~ reception signal processing sections comprises a second signal conversion section adapted to convert the at least one first optical signals into a first electric signal; and

wherein each of ~~plurality of the~~ radio signal transmission sections comprises a fourth signal conversion section adapted to convert the at least one second optical signal into a second electric signal.

19. (Original) The radio communication apparatus according to claim 18, wherein the optical bus is shaped like a sheet.

20. (Currently Amended) The radio communication apparatus according to claim 18, wherein the optical bus comprises an optical signal diffusion section adapted to diffuse each of the at least one first optical signal from each of the at least one first optical wave guide and each of the at least one second optical signal from each of the at least one third optical wave guide to guide each of the at least one first optical signal to each of the at least one second optical wave guide and each of the at least one second optical signal to each of the at least one fourth optical wave guide.

21. (Currently Amended) The radio communication apparatus according to claim 18,

wherein the ~~plurality of~~ reception signal processing sections and the ~~plurality of~~ transmission signal processing sections are formed integrally; and

the at least one first optical wave guide and the at least one third optical wave guide are formed integrally to guide each of the at least one first optical signal guided through ~~each of at least the~~ one optical bus to the reception signal processing sections and to guide each of the at least second optical signal from the transmission signal processing sections to ~~each of at least the~~ one optical bus.



22. (Currently Amended) The radio communication apparatus according to claim 18 wherein:

the ~~plurality of~~ radio signal reception sections and the ~~plurality of~~ radio signal transmission sections are formed integrally; and

~~wherein~~ the at least one second optical wave guide and the at least one fourth optical wave guide are formed integrally to guide each of the at least one first optical signal from each of ~~plurality of the~~ radio signal reception sections to ~~each of at least the~~ one optical buses and to guide each of the at least one second optical signal guided through ~~each of at least the~~ one optical bus to the radio signal transmission sections.

23. (Canceled)

24. (New) The radio communication apparatus according to claim 1, wherein the optical bus comprises stepwise portions that input and/or output an optical signal.

25. (New) The radio communication apparatus according to claim 9, wherein the optical bus comprises stepwise portions that input and/or output an optical signal.

26. (New) The radio communication apparatus according to claim 17, wherein the optical bus comprises stepwise portions that input and/or output an optical signal.

27. (New) The radio communication apparatus according to claim 23, wherein:  
the optical transmission section comprises one optical bus that can optically transmit respective at last one signal between the plurality of respective first signal processing sections and the plurality of respective second signal processing sections; and

the optical bus comprises stepwise portions that input and/or output an optical signal.